

HPVIRIN NRF2

Typ produktu: Potraviny a výživové doplnky

Legislatívne zatriedenie: Výživové doplnky

Výdaj: Nie je viazaný na lekársky predpis

Registračné číslo produktu: VD/10225/2021

Aplikačná forma: CPS – Kapsula

Výrobca: One Pharma, s. r. o. (SVK)

Držiteľ rozhodnutia: One Pharma, s. r. o. (SVK)

Dodávateľ: One Pharma, s. r. o. (SVK)



Popis a určenie:

Výživový doplnok s obsahom šandardizovaného extraktu zo semien brokolice - Broccoraphanin® Activated, extraktu zeleného čaju s obsahom EGCG, extraktov medicínálnych húb Cordyceps, Reishi, Shiitake a Maitake, extraktu škorice, piperínu, zinku, selénu, bóru a vitamínov A, B2, B3, B6, B9, C, D a E vo forme kapsúl.

Aktívne farmaceutické zložky v produkte HPVIRIN prispievajú k správnemu fungovaniu imunitného systému, zachovaniu zdravých slizníc, regulácii hormonálnej činnosti, ochrane buniek pred oxidačným stresom a správnemu procesu ich delenia*.


HPVIRIN je určený na imunitnú podporu a ochranu buniek u dospelých trpiacich napr. HPV infekciou s nálezmi typu – ASCUS, CIN, SIL, condylomata acuminata a iné. HPVIRIN je tiež možné použiť na imunitnú podporu a ochranu buniek u bezpríznakových partnerov osôb trpiacich napr. na HPV infekciu.

HPVIRIN prispieva k 3 úrovniám imunitnej podpory a ochrany buniek – **1.** suplementáciou glukorafanínu/sulforafanu, polyfenolov zeleného čaju, škorice, a piperínu sa aktívuje NRF2 a detoxifikačné enzýmy fázy II., **2.** obsahom extraktov medicínálnych húb Cordyceps, Reishi, Shiitake, Maitake s imunomodulačným účinkom, **3.** doplnením vybraných vitamínov a minerálov, ktorých deficit je asociovaný s nálezmi typu ASCUS/CIN/SIL.¹⁻⁷

Zloženie:

Šandardizovaný extrakt zo semien brokolice - Broccoraphanin® Activated s obsahom 10% glukorafanínu, ktorý je aktivovaný enzýmom myrozináza na sulforafan, extrakt zo zeleného čaju – dekofeínovaný, s obsahom $\geq 98\%$ celkových polyfenolov, $\geq 80\%$ katechínov a $\geq 50\%$ epigalokatechín galátu [EGCG], Cordyceps extrakt (Cordyceps sinensis) s 30% polysacharidov, Reishi extrakt (Ganoderma lucidum) s 30% polysacharidov a 1% triterpénov, Shiitake extrakt (Lentinula edodes) s 30% polysacharidov, Maitake extrakt (Grifola frondosa) s 30% polysacharidov, škoricový extrakt s obsahom 30% polyfenolov, piperín $\geq 95\%$ extrakt z čierneho korenia, zinok (citrát zinočnatý), bór (kyselina boritá), selén (seleničitan sodný), vitamín A (retinol acetát), vitamín B2 (riboflavín), vitamín B3 (nikotínamid), vitamín B6 (pyridoxín hydrochlorid), vitamín B9 (kyselina listová), vitamín C (askorban sodný), vitamín D (cholekalceriferol), vitamín E (d-alfa-tokoferol acetát), gastrorezistentné enterosolventné kapsuly z celulózy.

HPVIRIN NRF2



Obsah balenia:

120 gastrorezistentných enterosolventných kapsúl.

Obsah – čisté množstvo aktívnych farmaceutických zložiek:

4 kapsuly – Broccoraphanin® Activated 10% extrakt zo semien brokolice 200 mg, extrakt zo zeleného čaju 600 mg (celkové polyfenoly ≥ 588 mg, z toho katechíny ≥ 480 mg, a epigalokatechín galát [EGCG] ≥ 300 mg), Cordyceps extrakt 250 mg, Reishi extrakt 250 mg, Shiitake extrakt 250 mg, Maitake extrakt 250 mg, škoricový extrakt 150 mg s obsahom polyfenolov ≥ 45 mg, piperín 10 mg, zinok 10 mg, bór 6 mg, selén 100 µg, vitamín A 1 mg (3333 I.U.), vitamín B2 3 mg, vitamín B3 100 mg, vitamín B6 3 mg, vitamín B9 600 µg, vitamín C 1,5 mg, vitamín D 50 µg (2000 I.U.), vitamín E 48 mg.

Odporučané dávkovanie: Obvyklá dávka je 2 kapsuly 2x denne (4 kapsuly/deň) **nalačno**, alebo s ľahkým/malým jedlom zapiť s dosťatočným množstvom tekutiny. **Neodporúča sa užívať s hlavným jedlom dňa. Nezapíjať ovocným džúsom.** **Neužívať spolu s vitamínom C.** Ak užívate inozín pranobex (napr. obsiahnutý v lieku Isoprinosine), **HPVIRIN** užíte s odstupom minimálne 4 hodiny. Výživový doplnok je určený na dlhodobé používanie minimálne 3 mesiace. **HPVIRIN** je možné užívať aj na imunitnú podporu a ochranu buniek u bezpríznakových partnerov osôb trpiacich na napr. HPV infekciu. Na dlhodobé „chemopreventívne“ užívanie možno použiť udržiavaciu dávku 1 kapsula 2x denne (2 kapsuly denne).

Upozornenie: **HPVIRIN** nie je vhodný pre deti, tehotné a dojčiace ženy. **HPVIRIN** je určený aj na dlhodobé užívanie. Uchovávajte na suchom mieste pri teplote do 25 °C, v dobre uzavorenom obale, mimo dosahu malých detí. Výrobok chráňte pred mrazom, priamym slnečným žiareniom a sálavým teplom. Ustanovená odporúčaná denná dávka sa nesmie presiahnuť. Ak užívate lieky, poradte sa so svojím lekárom. Výživový doplnok sa nesmie používať ako náhrada rozmanitej stravy.

Výživový doplnok **HPVIRIN** je bez laktózy, pridanej sacharózy, gluténu, konzervancií, umelých sladičiel a farbív.

Vyvinuté a vyrobené na Slovensku.



LACTOSE FREE



GLUTEN FREE



ADDITIVE FREE



GMP
STANDARD



SLOVENSKÝ
VÝROBOK



MADE IN
EU

HPVIRIN v balení 120 kapsúl je k dispozícii v distribučnej sieti na objednanie s odporúčanou cenou v lekárni 45,3 €.

Registračné číslo	Obchodný názov a balenie	Odporúčaná cena v lekárni s DPH
VD/10225/2021	One Pharma HPVIRIN 1x 120 cps	45,3 €

Čas minimálnej trvanlivosti: 2 roky.

Výrobca: One Pharma, s.r.o., Janka Kráľa 5, 974 01 Banská Bystrica, Slovenská Republika

Dátum revízie textu: December 2021

*Zoznam zdravotných tvrdení, ktoré možno uvádzať na potravinách podľa článku 13 ods. 3 nariadenia (ES) č. 1924/2006

REFERENCIE:

- Chih HJ, Lee AH, Colville L, Binns CW, Xu D. A review of dietary prevention of human papillomavirus-related infection of the cervix and cervical intraepithelial neoplasia. Nutr Cancer. 2013;65(3):317-28. doi: 10.1080/01635581.2013.757630.
- Xiong Y, Cui L, Bian C, Zhao X, Wang X. Clearance of human papillomavirus infection in patients with cervical intraepithelial neoplasia: A systemic review and meta-analysis. Medicine (Baltimore). 2020 Nov 13;99(46):e23155. doi: 10.1097/MD.00000000000023155.
- García-Closas R, Castellsagué X, Bosch X, González CA. The role of diet and nutrition in cervical carcinogenesis: a review of recent evidence. Int J Cancer. 2005 Nov 20;117(4):629-37. doi: 10.1002/ijc.21193.
- Ho GY, Palan PR, Basu J, Romney SL, Kadish AS, Mikhail M, Wassertheil-Smoller S, Runowicz C, Burk RD. Viral characteristics of human papillomavirus infection and antioxidant levels as risk factors for cervical dysplasia. Int J Cancer. 1998 Nov 23;78(5):594-9. doi: 10.1002/(sici)1097-0215(19981123)78:5<594::aid-ijc11>3.0.co;2-b.
- Myung SK, Ju W, Kim SC, Kim H; Korean Meta-analysis (KORMA) Study Group. Vitamin or antioxidant intake (or serum level) and risk of cervical neoplasm: a meta-analysis. BJOG. 2011 Oct;118(11):1285-91. doi: 10.1111/j.1471-0528.2011.03032.x.
- Ono A, Koshiyama M, Nakagawa M, Watanabe Y, Ikuta E, Seki K, Oowaki M. The Preventive Effect of Dietary Antioxidants on Cervical Cancer Development. Medicina (Kaunas). 2020 Nov 10;56(11):604. doi: 10.3390/medicina56110604.

7. Woźniak M, Krajewski R, Makuch S, Agrawal S. Phytochemicals in Gynecological Cancer Prevention. *Int J Mol Sci.* 2021 Jan;26(23):1219. doi: 10.3390/ijms22031219.
8. Niedzwiecki A, Roomi MW, Kalinovsky T, Rath M. Anticancer Efficacy of Polyphenols and Their Combinations. *Nutrients.* 2016 Sep;9(8):552. doi: 10.3390/nu8090552.
9. Steffanson AL, Bakovic M. Dietary regulation of Keap1/Nrf2/ARE pathway: focus on plant-derived compounds and trace minerals. *Nutrients.* 2014 Sep;19(6):3777-801. doi: 10.3390/nu6093777.
10. Baird L, Dinkova-Kostova AT. The cytoprotective role of the Keap1-Nrf2 pathway. *Arch Toxicol.* 2011 Apr;85(4):241-72. doi: 10.1007/s00204-011-0674-5.
11. Keum YS. Regulation of Nrf2-Mediated Phase II Detoxification and Anti-oxidant Genes. *Biomol Ther (Seoul).* 2012 Mar;20(2):144-51. doi: 10.4062/biomolther.2012.20.2.144.
12. Sugumar, Deepa & SARAVANAN, J. & Rymbai, Emdormi & PRAVEEN, T.K.. (2020). An Update on the Role of Nrf2 and its Activators in Diseases Associated with Oxidative Stress. *Indian Journal of Pharmaceutical Sciences.* 82. 10.36468/pharmaceutical-sciences.638.
- GLUKORAFANÍN / SULFORAFAN**
13. Fahey, J. W., & Talalay, P. (1999). Antioxidant functions of sulforaphane: A potent inducer of phase II detoxication enzymes. *Food and Chemical Toxicology.* 37(9-10), 973-979. [https://doi.org/10.1016/S0278-6915\(99\)00082-4](https://doi.org/10.1016/S0278-6915(99)00082-4)
14. Ushida, Yusuke & Suganuma, Hiroyuki & Yanaka, Akinori. (2015). Low-Dose of the Sulforaphane Precursor Glucoraphanin as a Dietary Supplement Induces Chemoprotective Enzymes in Humans. *Food and Nutrition Sciences.* 06. 1603-1612. 10.4236/fns.2015.617165.
15. Su X, Jiang X, Meng L, Dong X, Shen Y, Xin Y. Anticancer Activity of Sulforaphane: The Epigenetic Mechanisms and the Nrf2 Signaling Pathway. *Oxid Med Cell Longev.* 2018 Jun 6;2018:5438179. doi: 10.1155/2018/5438179.
16. Kubo E, Chhunchha B, Singh P, Sasaki H, Singh DP. Sulforaphane reactivates cellular antioxidant defense by inducing Nrf2/ARE/Prdx6 activity during aging and oxidative stress. *Sci Rep.* 2017 Oct 26;7(1):14130. doi: 10.1038/s41598-017-14520-8.
17. Russo M, Spagnuolo C, Russo GL, Skalicka-Woźniak K, Dalgia M, Sobarzo-Sánchez E, Nabavi SF, Nabavi SM. Nrf2 targeting by sulforaphane: A potential therapy for cancer treatment. *Crit Rev Food Sci Nutr.* 2018 May 24;58(8):1391-1405. doi: 10.1080/10408398.2016.1259983.
18. McWalter GK, Higgins LG, McLellan LI, Henderson CJ, Song L, Thornalley PJ, Itoh K, Yamamoto M, Hayes JD. Transcription factor Nrf2 is essential for induction of NAD(P)H:quinone oxidoreductase 1, glutathione S-transferases, and glutamate cysteine ligase by broccoli seeds and isothiocyanates. *J Nutr.* 2004 Dec;134(12 Suppl):3499S-3506S. doi: 10.1093/jn/134.12.3499S.
19. Kamal MM, Akter S, Lin CN, Nazzal S. Sulforaphane as an anticancer molecule: mechanisms of action, synergistic effects, enhancement of drug safety, and delivery systems. *Arch Pharm Res.* 2020 Apr;43(4):371-384. doi: 10.1007/s12272-020-01225-2.
20. Ullah, Mohammad. (2015). Sulforaphane (SFN): An Isothiocyanate in a Cancer Chemoprevention Paradigm. *Medicines.* 2. 141-156. 10.3390/medicines2030141.
21. Myzak MC, Karplus PA, Chung FL, Dashwood RH. A novel mechanism of chemoprotection by sulforaphane: inhibition of histone deacetylase. *Cancer Res.* 2004 Aug 15;64(16):5767-74. doi: 10.1158/0008-5472.CAN-04-1326.
22. Jiang X, Liu Y, Ma L, Ji R, Qu Y, Xin Y, Lv G. Chemopreventive activity of sulforaphane. *Drug Des Devel Ther.* 2018 Sep 11;12:2905-2913. doi: 10.2147/DDT.S100534.
23. Nandini DB, Rao RS, Deepak BS, Reddy PB. Sulforaphane in broccoli: The green chemoprevention!! Role in cancer prevention and therapy. *J Oral Maxillofac Pathol.* 2020 May-Aug;24(2):405. doi: 10.4103/jomfp.JOMFP_126_19.
24. Lee, Brian H, Yinke Yang and Zhenhua Liu. "Synergistic Mediation of Sulforaphane and Vitamin D on the Wnt-signaling Pathway." *Journal of Nature and Science* 1 (2015): 36.
- KATECHÍNY ZELENÉHO ČAJU / EGCG**
25. Talebi M, Talebi M, Farkhondeh T, Mishra G, İlgün S, Samarghandian S. New insights into the role of the Nrf2 signaling pathway in green tea catechin applications. *Phytother Res.* 2021 Jun;35(6):3078-3112. doi: 10.1002/ptr.7033.
26. Fujiki H, Sueoka E, Watanabe T, Suganuma M. Primary cancer prevention by green tea, and tertiary cancer prevention by the combination of green tea catechins and anticancer compounds. *J Cancer Prev.* 2015 Mar;20(1):1-4. doi: 10.1543/JCP.2015.20.1.1.
27. Zou C, Liu H, Feugang JM, Hao Z, Chow HH, Garcia F. Green tea compound in chemoprevention of cervical cancer. *Int J Gynecol Cancer.* 2010 May;20(4):617-24. doi: 10.1111/IGC.0b013e3181c7ca5c.
28. Du GJ, Zhang Z, Wen XD, Yu C, Calway T, Yuan CS, Wang CZ. Epigallocatechin Gallate (EGCG) is the most effective cancer chemopreventive polyphenol in green tea. *Nutrients.* 2012 Nov 8;4(11):1679-91. doi: 10.3390/nu4111679.
29. Jia Y, Hu T, Hang CY, Yang R, Li X, Chen ZL, Mei YD, Zhang QH, Huang KC, Xiang QY, Pan XY, Yan YT, Wang XL, Wang SS, Hang Z, Tang FX, Liu D, Zhou J, Xi L, Wang H, Lu YP, Ma D, Wang SX, Li S. Case-control study of diet in patients with cervical cancer or precancerosis in Wufeng, a high incidence region in China. *Asian Pac J Cancer Prev.* 2012;13(10):5299-302. doi: 10.7314/apjcp.2012.13.10.5299.
30. Qiao Y, Cao J, Xie L, Shi X. Cell growth inhibition and gene expression regulation by (-)-epigallocatechin-3-gallate in human cervical cancer cells. *Arch Pharm Res.* 2009 Sep;32(9):1309-15. doi: 10.1007/s12272-009-1917-3.
31. Zhu Y, Huang Y, Liu M, Yan Q, Zhao W, Yang P, Gao Q, Wei J, Zhao W, Ma L. Epigallocatechin gallate inhibits cell growth and regulates miRNA expression in cervical carcinoma cell lines infected with different high-risk human papillomavirus subtypes. *Exp Ther Med.* 2019 Mar;17(3):1742-1748. doi: 10.3892/etm.2018.7131.
32. Ullah, Najeeb & Ahmad, Mahboob & Aslam, Hasnain & Tahir, Asad & Aftab, Muhammad & Bibi, Noreen & Ahmad, Sohail. (2016). Green tea phytocompounds as anticancer: A review. *Asian Pacific Journal of Tropical Disease.* 6. 330-336.
- CORDYCEPS, REISHI, SHIITAKE, MAITAKE**
33. Zhao S, Gao Q, Rong C, Wang S, Zhao Z, Liu Y, Xu J. Immunomodulatory Effects of Edible and Medicinal Mushrooms and Their Bioactive Immunoregulatory Products. *J Fungi (Basel).* 2020 Nov 8;6(4):269. doi: 10.3390/jof6040269.
34. Seo DJ, Choi C. Antiviral Bioactive Compounds of Mushrooms and Their Antiviral Mechanisms: A Review. *Viruses.* 2021 Feb 23;13(2):350. doi: 10.3390/v13020350.
35. Das G, Shin HS, Leyva-Gómez G, Prado-Audelo MLD, Cortes H, Singh YD, Panda MK, Mishra AP, Nigam M, Saklani S, Chaturi PK, Martorell M, Cruz-Martins N, Sharma V, Garg N, Sharma R, Patra JK. Cordyceps spp.: A Review on Its Immune-Stimulatory and Other Biological Potentials. *Front Pharmacol.* 2021 Feb 8;11:602364. doi: 10.3389/fphar.2020.602364.
36. Chen PX, Wang S, Nie S, Marcone M. Properties of Cordyceps Sinensis: A review. *J Funct Foods.* 2013 Apr;5(2):550-569. doi: 10.1016/j.jff.2013.01.034.
37. Xu Z, Chen X, Zhong Z, Chen L, Wang Y. Ganoderma lucidum polysaccharides: immunomodulation and potential anti-tumor activities. *Am J Chin Med.* 2011;39(1):15-27. doi: 10.1142/S0192415X11008610.
38. Ahmad, Faruque. (2020). Ganoderma lucidum: A rational pharmacological approach to surmount the cancer. *Journal of Ethnopharmacology.* 260. 113047. 10.1016/j.jep.2020.113047.
39. He X, Wang X, Fang J, Chang Y, Ning N, Guo H, Huang L, Huang X, Zhao Z. Polysaccharides in Grifola frondosa mushroom and their health promoting properties: A review. *Int J Biol Macromol.* 2017 Aug;101:910-921. doi: 10.1016/j.ijbiomac.2017.03.177.
40. Vetycka V, Vetyckova J. Immune-enhancing effects of Maitake (Grifola frondosa) and Shiitake (Lentinula edodes) extracts. *Ann Transl Med.* 2014 Feb;2(2):14. doi: 10.3978/j.issn.2305-5839.2014.01.05.
41. Mallard B, Leach DN, Wohlmuth H, Tiralongo J. Synergistic immunomodulatory activity in human macrophages of a medicinal mushroom formulation consisting of Reishi, Shiitake and Maitake. *PLoS One.* 2019 Nov 7;14(11):e0224740. doi: 10.1371/journal.pone.0224740.
- CINNAMON**
42. Rao PV, Gan SH. Cinnamon: a multifaceted medicinal plant. *Evid Based Complement Alternat Med.* 2014;2014:642942. doi: 10.1155/2014/642942.
43. Gunawardena, Dhanushka & Govindaraghavan, Suresh & Munch, Gerald. (2014). Chapter 30. Anti-Inflammatory Properties of Cinnamon Polyphenols and their Monomeric Precursors. 10.1016/B978-0-12-398456-2.00030-X.

44. Larasati, Yonika & Meiyanto, Edy. (2018). Revealing the Potency of Cinnamon as an Anti-Cancer and Chemopreventive Agent. *Indonesian Journal of Cancer Chemoprevention*. 9. 10.14499 / indonesiajcanchemoprev9iss1pp47-62.
45. Dutta, Anindita & Chakraborty, Anindita. (2018). Cinnamon in Anticancer Armamentarium: A Molecular Approach. *Journal of Toxicology*. 2018. 1-8. 10.1155/2018/8978731.
46. Koppikar SJ, Choudhari AS, Suryavanshi SA, Kumari S, Chattopadhyay S, Kaul-Ghanekar R. Aqueous cinnamon extract (ACE-c) from the bark of *Cinnamomum cassia* causes apoptosis in human cervical cancer cell line (SiHa) through loss of mitochondrial membrane potential. *BMC Cancer*. 2010 May 18;10:210. doi: 10.1186/1471-2407-10-210.
47. Kwon HK, Hwang JS, So JS, Lee CG, Sahoo A, Ryu JH, Jeon WK, Ko BS, Lee SH, Park ZY, Im SH. Cinnamon extract induces tumor cell death through inhibition of NFκappaB and AP1. *BMC Cancer*. 2010 Jul 24;10:392. doi: 10.1186/1471-2407-10-392. Erratum in: *BMC Cancer*. 2019 Nov 14;19(1):1113.

PIPERÍN

48. Turrini E, Sestili P, Fimognari C. Overview of the Anticancer Potential of the "King of Spices" *Piper nigrum* and Its Main Constituent Piperine. *Toxins (Basel)*. 2020 Nov 26;12(12):747. doi: 10.3390/toxins12120747.
49. Srinivasan K. Black pepper and its pungent principle-piperine: a review of diverse physiological effects. *Crit Rev Food Sci Nutr*. 2007;47(8):735-48. doi: 10.1080/1040839061062054.
50. Dudhatra GB et al. A Comprehensive Review on Pharmacotherapeutics of Herbal Bioenhancers The Scientific World Journal Volume 2012, Article ID 637953, 33 pages, doi:10.1100/2012/637953

ZINOK

51. Liu T, Soong SJ, Alvarez RD, Butterworth CE Jr. A longitudinal analysis of human papillomavirus 16 infection, nutritional status, and cervical dysplasia progression. *Cancer Epidemiol Biomarkers Prev*. 1995 Jun;4(4):373-80.
52. Lazarczyk M, Favre M. Role of Zn²⁺ ions in host-virus interactions. *J Virol*. 2008 Dec;82(23):11486-94. doi: 10.1128/JVI.01314-08.
53. Read SA, Obeid S, Ahlenstiel C, Ahlenstiel G. The Role of Zinc in Antiviral Immunity. *Adv Nutr*. 2019 Jul 1;10(4):696-710. doi: 10.1093/advances/nmz013.
54. Xie Y, Wang J, Zhao X, Zhou X, Nie X, Li C, Huang F, Yuan H. Higher serum zinc levels may reduce the risk of cervical cancer in Asian women: A meta-analysis. *J Int Med Res*. 2018 Dec;46(12):4898-4906. doi: 10.1177/0300060518805600.
55. Fadhil, Hula Younis, Iman M. Aifi, Rana S. Aboud and Faiz Tuma. "Effect of Oral Zinc Sulfate on Local Inflammatory Cytokines Level in Iraqi Women Infected With Human Papillomavirus (HPV)." *IOSR Journal of Pharmacy and Biological Sciences* 12 (2017): 14-17.
56. Song D, Pan L, Zhang M, Wang S. Clinical use of zinc in viral warts: a systematic review of the clinical trials. *J Dermatolog Treat*. 2021 Jun 16:1-23. doi: 10.1080/09546634.2021.1942420.

BÓR

57. Scorei RI, Popa R Jr. Boron-containing compounds as preventive and chemotherapeutic agents for cancer. *Anticancer Agents Med Chem*. 2010 May;10(4):346-51. doi: 10.2174/187152010791162289.
58. Pizzorno L. Nothing Boring About Boron. *Integr Med (Encinitas)*. 2015 Aug;14(4):35-48.
59. Nikkhah, Somayeh and Mohammad Reza Naghii. Using Boron Supplementation in Cancer Prevention and Treatment : A Review Article." *CANCER PRESS*, Vol 3, No 3, September, 2017, P 113-119, DOI, 10.15562/tcp.56
60. Nikkhah, Somayeh & Naghii, Mohammad. (2019). Medicinal Properties of Boron Supplementation on the Prevention and Treatment of Diseases: A Systematic Review. *Complementary Medicine Journal*. 3760-3779. 10.32598/cmja.9.3.3760.
61. Miljkovic D, Miljkovic N, McCarty MF. Up-regulatory impact of boron on vitamin D function - does it reflect inhibition of 24-hydroxylase? *Med Hypotheses*. 2004;63(6):1054-6. doi: 10.1016/j.mehy.2003.12.053.

62. Naghii MR, Mofid M, Asgari AR, Hedayati M, Daneshpour MS. Comparative effects of daily and weekly boron supplementation on plasma steroid hormones and proinflammatory cytokines. *J Trace Elem Med Biol*. 2011 Jan;25(1):54-8. doi: 10.1016/j.jtemb.2010.10.001.

SELÉN

63. Avery JC, Hoffmann PR. Selenium, Selenoproteins, and Immunity. *Nutrients*. 2018 Sep 1;10(9):1203. doi: 10.3390/nu10091203.
64. Razaghi A, Poorebrahim M, Sarhan D, Björnstedt M. Selenium stimulates the antitumour immunity: Insights to future research. *Eur J Cancer*. 2021 Sep;155:256-267. doi: 10.1016/j.ejca.2021.07.013.
65. Jablonska E, Li Q, Reszka E, Wieczorek E, Tarhonska K, Wang T. Therapeutic Potential of Selenium and Selenium Compounds in Cervical Cancer. *Cancer Control*. 2021 Jan-Dec;28:10732748211001808. doi: 10.1177/10732748211001808..
66. Karamali M, Nourgozar S, Zamani A, Vahedpoor Z, Asemi Z. The favourable effects of long-term selenium supplementation on regression of cervical tissues and metabolic profiles of patients with cervical intraepithelial neoplasia: a randomised, double-blind, placebo-controlled trial. *Br J Nutr*. 2015 Dec 28;114(12):2039-45. doi: 10.1017/S0007114515003852.
67. Hong et al . Detection of level of selenium in cervical tissues of patients with human papillomavirus infection. *Chinese Tropical Medicine* 2008 Issue 8 1315-1316.

VITAMÍNY A, B, C, D, E

68. Zhang X, Dai B, Zhang B, Wang Z. Vitamin A and risk of cervical cancer: a meta-analysis. *Gynecol Oncol*. 2012 Feb;124(2):366-73. doi: 10.1016/j.ygyno.2011.10.012.
69. Cuzick, J., De Stavola, B. L., Russell, M. J., & Thomas, B. S. (1990). Vitamin A, vitamin E and the risk of cervical intraepithelial neoplasia. *British journal of cancer*, 62(4), 651–652. <https://doi.org/10.1038/bjc.1990.348>
70. Hernandez BY, McDuffie K, Wilkens LR, Kamemoto L, Goodman MT. Diet and premalignant lesions of the cervix: evidence of a protective role for folate, riboflavin, thiamin, and vitamin B12. *Cancer Causes Control*. 2003 Nov;14(9):859-70. doi: 10.1023/b:caco.0000003841.54413.98.
71. Piyathilake CJ, Macaluso M, Brill I, Heimburger DC, Partridge EE. Lower red blood cell folate enhances the HPV-16-associated risk of cervical intraepithelial neoplasia. *Nutrition*. 2007 Mar;23(3):203-10. doi: 10.1016/j.nut.2006.12.002.
72. Butterworth CE Jr, Hatch KD, Gore H, Mueller H, Krumdieck CL. Improvement in cervical dysplasia associated with folic acid therapy in users of oral contraceptives. *Am J Clin Nutr*. 1982 Jan;35(1):73-82. doi: 10.1093/ajcn/35.1.73.
73. Fan, C., Yu, S., Zhang, S., Ding, X., Su, J., & Cheng, Z. (2017). Association between folate intake and risk of head and neck squamous cell carcinoma: An overall and dose-response PRISMA meta-analysis. *Medicine*, 96(42), e8182. <https://doi.org/10.1097/MD.00000000000008182>
74. Piyathilake CJ, Macaluso M, Chambers MM, Badiga S, Siddiqui NR, Bell WC, Edberg JC, Partridge EE, Alvarez RD, Johanning GL. Folate and vitamin B12 may play a critical role in lowering the HPV 16 methylation-associated risk of developing higher grades of CIN. *Cancer Prev Res (Phila)*. 2014 Nov;7(11):1128-37. doi: 10.1158/1940-6207.CAPR-14-0143.

75. Vahedpoor Z, Mahmoodi S, Samimi M, Gilasi HR, Bahmani F, Soltani A, Sharifi Esfahani M, Asemi Z. Long-Term Vitamin D Supplementation and the Effects on Recurrence and Metabolic Status of Cervical Intraepithelial Neoplasia Grade 2 or 3: A Randomized, Double-Blind, Placebo-Controlled Trial. *Ann Nutr Metab*. 2018;72(2):151-160. doi: 10.1159/000487270.
76. Özgü E, Yılmaz N, Başer E, Güngör T, Erkaya S, Yakut Hı. Could 25-OH vitamin D deficiency be a reason for HPV infection persistence in cervical premalignant lesions? *J Exp Ther Oncol*. 2016 Jul;11(3):177-180.
77. Hu, Xiaoli & Li, Saisai & Zhou, Lulu & Zhao, Menghuang & Zhu, Xueqiong. (2017). Effect of vitamin E supplementation on uterine cervical neoplasm: A meta-analysis of case-control studies. *PLOS ONE*. 12. e0183395. 10.1371/journal.pone.0183395.